Author Index

ABO T. *see* ARAI K.
ABO T. *see* IIAI T.
ADAM S. *see* HÄCKER G.
ADERKA D. *see* COPE A.P
AHERN M.J. *see* HART P.H.
ALEXANDER J. *see* SATOSKAR A.
ANDERSSON R. *see* SJÖLANDER A.
ANDRADE J. *see* CONDE M.
ANSORGE S. *see* MATTERN T.
APPLEBY M.W. *see* HEDIN K.E.
ARAI K., IIAI T., NAKAYAMA M., HASEGAWA K., SATO K., OHTSUKA K., WATANABE H., HANYU T., TAKAHASHI H.E. & ABO T. Adhesion molecules on intermediate TCR cells, I. Unique expression of adhesion molecules $CD44^+$ L-selectin$^-$, on intermediate TCR cells in the liver and the modulation of their adhesion by hyaluronic acid 64
ARYA A. *see* HARRIS D.P.
ASHERSON G.L. *see* DIELI F.
ASHERSON G.L. *see* SALERNO A.
ASHMAN L.K. *see* IRANI A.A.
ATHANASSIOU P. *see* SEELEN M.A.
AUBONNEY N. *see* BEAVIL R.L.
AUGUSTINE N.H. *see* PEAT E.B.
AYROLDI E., CANNARILE L., D'ADAMIO F. & RICCARDI C. Superantigen-induced peripheral T-cell deletion: the effects of chemical modification of antigen-presenting cells, interleukin-4 and glucocorticoid hormones 528

BANERJEE K.K. *see* BISWAS T.
BAUER S. *see* LIPFORD G.B.
BAZ A., HERNÄNDEZ A., DEMATTEIS S., CAROL H. & NIETO A. Idiotypic modulation of the antibody response of mice to *Echinococcus granulosis* antigens 350
BEAVIL R.L., GRABER P., AUBONNEY N., BONNEFOY J.-Y. & GOULD H.J. CD23/FcεRII and its soluble fragments can form oligomers on the cell surface and in solution 202
BEDOYA F.J. *see* CONDE M.
BEER B. *see* VOGEL T.
BELL C.S. *see* WEILER J.M.
BELL E.B. *see* MCDONAGH M.
BELLAVIA A. *see* SALERNO A.
BERMUDEZ L.E. *see* CHAMPSI J.
BERZINS K. *see* SJÖLANDER A.
BESSENT E.F. *see* BROOME H.E.
BILYK N. *see* UPHAM J.W.
BINNS R.M. *see* WOOLLEY S.T.
BISWAS T., ROY S. & BANERJEE K.K. l-Rhamnose inhibits proliferation of murine splenocytes by the lipopolysaccharide and polysaccharide moiety of *Shigella dysenteriae* type 1 lipoplysaccharide 322
BOHNSACK J.F. *see* PEAT E.B.
BOICHIS H. *see* LAUFER J.
BONANNO C.T. *see* DIELI F.
BONNEFOY J.-Y. *see* BEAVIL R.L.
BOOG C.J.P. *see* BROEREN C.P.M.
BOOG C.J.P. *see* HEEMSKERK M.H.M.
BORREBAECK C.A.K. *see* IFVERSEN P.
BOWLES V.M., BRANDON M.R. & MEEUSEN E. Characterization of local antibody responses to the gastrointestinal parasite *Haemonchus contortus* 669
BRANDON M.R. *see* BOWLES V.M.
BRENNAN F.M. *see* COPE A.P
BRINDLE N.J.P. *see* LLOYDS D.
BROEREN C.P.M., WAUBEN M.H.M., LUCASSEN M.A., VAN MEURS M., VAN KOOTEN P.J.S., BOOG C.J.P., CLAASSEN E. & VAN EDEN W. Activated rat T cells synthesize and express functional major histocompatibility class II antigens 193
BROOME H.E., DARGAN C.M., BESSENT E.F., KRAJEWSKI S. & REED J.C. Apoptosis and Bcl-2 expression in cultured murine splenic T cells 375
BROWN C.M.S., FITZGERALD K.J., MOYES S.P., MAGEED R.A., WILLIAMS D.G. & MAINI R.N. Sequence analysis of immunoglobulin heavy-chain variable region genes from the synovium of a rheumatoid arthritis patient shows little evidence of mutation but diverse CDR3 367
BRULEY-ROSSET M. *see* CHURAQUI E.
BUCKLEY M.G., WILLIAMS C.M.M., THOMPSON J., PRYOR P., RAY K., BUTTERFIELD J.H. & COLEMAN J.W. IL-4 enhances IL-3 and IL-8 gene expression in a human leukemic mast cell line 410
BURGER D. *see* LI J.-M.
BURKE P.A. *see* ZHONG W.W.
BUTTERFIELD J.H. *see* BUCKLEY M.G.

CALLAHAN J.E. *see* COOPER A.M.
CALLARD R.E. *see* KATSIKIS P.D.
CAMPBELL J.D.M. *see* VAN LIEROP M.-J.C.
CANDOLFI E. *see* HUNTER C.A.
CANNARILE L. *see* AYROLDI E.
CARLSSON R. *see* IFVERSEN P.
CAROL H. *see* BAZ A.
CHAMPSI J., YOUNG L.S. & BERMUDEZ L.E. Production of TNF-α IL-6 and TGF-β and expression of receptors for TNF-α and IL-6, during murine *Mycobacterium avium* infection 549
CHAVALI S.R. *see* ZHONG W.W.
CHIANG T.J. *see* HUSSAIN R.
CHU J.W.K. & SHAROM F.J. Ganglioslides interact with interleukin-4 and inhibit interleukin-4-stimulated helper T-cell proliferation 396
CHU N.R. *see* COPE A.P
CHURAQUI E., OUKKA M., TILLOY F., MAYADOUX E., BRULEY-ROSSET M. & KOSMATOPOULOS K. The Jα segment contributes to the affinity of $J\beta6^+$ cells for vSAG-7 ($M1s\text{-}1^a$) presented by I-A molecules 609
CLAASSEN E. *see* BROEREN C.P.M.
CLAPHAM D.E. *see* HEDIN K.E.
COHEN J. *see* SEELEN M.A.
COHEN S.B.A. *see* KATSIKIS P.D.
COLEMAN J.W. *see* BUCKLEY M.G.
COLOMB M.G. *see* JACQUIER-SARLIN M.R.
CONDE M., ANDRADE J., BEDOYA F.J., SANTA MARIA C. & SOBRINO F. Inhibitory effect of cyclosporin A and FK506 on nitric oxide production by cultured macrophages. Evidence of a direct effect on nitric oxide synthase activity 476
COOPER A.M., ROBERTS A.D., RHOADES E.R., CALLAHAN J.E., GETZY D.M. & ORME I.M. The role of interleukin-12 in acquired immunity to *Mycobacterium tuberculosis* infection 423
COPE A.P, ADERKA D., WALLACH D., KAHAN M., CHU N.R., BRENNAN F.M. & FELDMANN M. Soluble TNF receptor production by activated T lymphocytes; differential effects of acute and chronic exposure to TNF 21
CORLETT L. & DAVIES D.H. Reduced lysis by $CD8^+$ cytotoxic T cells in mixed lymphocyte reactions induced via $CD4^+$ T cells exposed to chemically modified antigen-presenting cells 488
CUMBERBATCH M. & KIMBER I. Tumour necrosis factor-α is required for accumulation of dendritic cells in draining lymph nodes and for optimal contact sensitization 31
CUNHA F.Q. *see* KLEIN A.

D'ADAMIO F. *see* AYROLDI E.
DAERON M. *see* RAJNAVÖLGYI É.

DANIELSSON L. *see* IFVERSEN P.
DARGAN C.M. *see* BROOME H.E.
DAS A.M., WILLIAMS T.J., LOBB R.R. & NOURSHARGH S. Lung eosinophilia is dependent on IL-5 and the adhesion molecules CD18 and VLA-4, in a guinea-pig model 41
DAVIES D.H. *see* CORLETT L.
DAVIES K.A. *see* SEELEN M.A.
DAYER J.-M. *see* LI J.-M.
DELRIVIERE L. *see* KOBAYASHI E.
DEMATTEIS S. *see* BAZ A.
DEMISSEE A. *see* HOWE R.C.
DEVERY J.M. *see* SHEN J.
DI PADOVA F. *see* KATSIKIS P.D.
DI ROSA M. *see* IANARO A.
DIELI F. *see* SALERNO A.
DIELI F., ASHERSON G.L., BONANNO C.T., SIRECI G. & SALERNO A. Major histocompatibility complex control of the class of the immune response to the hapten trinitrophenyl 355
DIJKSTRA C.D. *see* YOSHIDA K.
DOCKRELL H.M. *see* HUSSAIN R.
DRIESSEN C., HIRV K., KIRCHNER H. & RINK L. Zinc regulates cytokine induction by superantigens and lipopolysaccharide 272
DROTAR M.E. *see* ZHONG W.W.
DRUMMOND W.K. *see* PEAT E.B.
DUCHROW M. *see* MATTERN T.

EDENS R.E. *see* WEILER J.M.
ENOSAWA S. *see* KOBAYASHI E.

FACCIOLI L.H. *see* WEG V.B.
FARZAM N. *see* LAUFER J.
FAUST D. *see* TRINDER P.K.E.
FAZEKAS G. *see* RAJNAVÖLGYI É.
FELDMANN M. *see* COPE A.P
FELDMANN M. *see* KATSIKIS P.D.
FELDMANN M. *see* WEG V.B.
FELDMANN M. *see* WILLIAMS R.O.
FERREIRA H. *see* KLEIN A.
FINLAY-JONES J.J. *see* HART P.H.
FISHELSON Z. *see* KATZ Y.
FITZGERALD K.J. *see* BROWN C.M.S.
FLAD H.-D. *see* MATTERN T.
FORRESTER J.V. *see* KUPPNER M.C.
FORSE R.A. *see* ZHONG W.W.
FRIDMAN W.H. *see* RAJNAVÖLGYI É.
FROMMEL D. *see* HOWE R.C.

GABERT F.M. *see* JACQUIER-SARLIN M.R.
GANI M. *see* HE M.
GARCÍA A. *see* REBOLLO A.
GERGELY J. *see* RAJNAVÖLGYI É.
GESSNER A., WILL A., VIETH M., SCHRÖPPEL K. & RÖLLINGHOFF M. Stimulation of B-cell lymphopoiesis by interleukin-7 leads to aggravation of murine leishmaniasis 416
GETZY D.M. *see* COOPER A.M.
GHRAYEB J. *see* WILLIAMS R.O.
GLASS E.J. *see* VAN LIEROP M.-J.C.
GLEICH G.J. *see* WEILER J.M.
GÓMEZ J. *see* REBOLLO A.
GOTO S. *see* KOBAYASHI E.
GOULD H.J. *see* BEAVIL R.L.
GRABER P. *see* BEAVIL R.L.

HÄCKER G., ADAM S. & WAGNER H. Interaction between $\gamma\delta$ T cells and B cells regulating IgG production 110
HALLETT M.B. *see* LLOYDS D.
HAMAOKA T. *see* KURODA K.
HAMON M. *see* HE M.
HANSSON M. *see* SJÖLANDER A.
HANYU T. *see* ARAI K.
HARA T. *see* KITAMURA M.
HARA T. *see* SEYA T.
HARADA Y., NAGAO S., NAKAMURA M., OKADA F. & TANIGAWA Y. Effect of lipopolysaccharide on thymidine salvage as related to macrophage activiation 247
HARIDAS V. & SAXENA R.K. Role of major histocompatibility complex class I antigens in modulating the performance of murine tumour cells in cold target competition assays 86
HARRIS D.P., VORDERMEIER H.-M., ARYA A., MORENO C. & IVANYI J. Permissive recognition of a mycobacterial T-cell epitope: localization of overlapping epitope core sequences recognized in association with multiple major histocompatibility complex class II I-A molecules 555
HARRIS H. & MIYASAKA M. Reversible stimulation of lymphocyte motility by cultured high endothelial cells: mediation by L-selectin 54
HART P.H., AHERN M.J., SMITH M.D. & FINLAY-JONES J.J. Comparison of the suppressive effects of interleukin-10 and interleukin-4 on synovial fluid macrophages and blood monocytes from patients with inflammatory arthritis 536
HARTMANN K.-U *see* ROSENBLATT N.
HASEGAWA K. *see* ARAI K.
HASKARD D.O. *see* WOOLLEY S.T.
HATAKEYAMA K. *see* IIAI T.
HATANAKA M. *see* SEYA T.
HE M., KANG A.S., HAMON M., HUMPHREYS A.S., GANI M. & TAUSSIG M.J. Characterization of a progesterone-binding, three-domain antibody fragment (V_H/K) expressed in *Escherichia coli* 662
HEDIN K.E., APPLEBY M.W. & CLAPHAM D.E. Developmental regulation of TCR–CD3-dependent $[Ca^{2+}]_i$ responses of individual normal and $pp59^{fyn}$-deficient T lymphocytes 183
HEEG K. *see* LIPFORD G.B.
HEEMSKERK M.H.M., SCHOEMAKER H.M., SPAAN W.J.M. & BOOG C.J.P. Predominance of MHC class II-restricted $CD4^+$ cytotoxic T cells against mouse hepatitis virus A59 521
HENDERSON L.K. *see* SOUTHERN C.
HENNE C., SCHWENK F., KOCH N. & MÖLLER P. Surface expression of the invariant chain (CD74) is independent of concomitant expression of major histocompatibility complex class II antigens 177
HENSEN E.J. *see* VAN LIEROP M.-J.C.
HERNÁNDEZ A. *see* BAZ A.
HEUSSER C.H. *see* KOLBE L.
HIBBERT L.M. *see* KATSIKIS P.D.
HICKEY W. *see* MALE D.
HIGGINS J.A., LAMB J.R., LAKE R.A. & O'HEHIR R.E. Polyclonal and clonal analysis of human $CD4^+$ T-lymphocyte responses to nut extracts 91
HIGUCHI S. *see* USHIO H.
HILL H.R. *see* PEAT E.B.
HIROKAWA K. *see* IIAI T.
HIROMATSU K. *see* NABESHIMA S.
HIROTA S. *see* USHIO H.
HIRV K. *see* DRIESSEN C.
HOLMES M.A. *see* LUNN D.P.
HOLT P.G. *see* UPHAM J.W.
HOSAKA Y. *see* KURODA K.
HOWE R.C., WONDIMU A., DEMISSEE A. & FROMMEL D. Functional heterogeneity among $CD4^+$ T-cell clones from blood and skin lesions of leprosy patients. Identification of T-cell clones distinct from Th0, Th1 and Th2 585
HOYNCK VAN PAPENDRECHT A.A.G.M. *see* ZEILLEMAKER A.M.
HOYNE G.F. & THOMAS W.R. T-cell responses to orally administered antigens. Study of the kinetics of lymphokine production after single and multiple feeding 304
HSIEH M. *see* LU L.
HUMPHREYS A.S. *see* HE M.
HUNTER C.A., CANDOLFI E., SUBAUSTE C., VAN CLEAVE V. & REMINGTON J.S. Studies on the role of interleukin-12 in acute murine toxoplasmosis 16
HUSSAIN R., MENZ B., DOCKRELL H.M. & CHIANG T.J. Recognition of *Mycobacterium leprae* recombinant 18000 MW epitopes by IgG subclasses in leprosy 290

IANARO A., XU D., O'DONNELL C.A., DI ROSA M. & LIEW

F.Y. Expression of TGF-β in attenuated *Salmonella typhymurium*: oral administration leads to the reduction of inflammation, IL-2 and IFN-γ, but enhancement of IL-10, in carrageenin-induced oedema in mice 8
IFVERSEN P., MÅRTENSSON C., DANIELSSON L., INGVAR C., CARLSSON R. & BORREBAECK C.A.K. Induction of primary antigen-specific immune responses in SCID-hu-PBL by coupled T–B epitopes 111
IIAI T. *see* ARAI K.
IIAI T., KIMURA M., KAWACHI Y., HIROKAWA K., WATANABE H., HATAKEYAMA K. & ABO T. Characterization of intermediate T-cell receptor cells expanding in the liver, thymus and other organs in autoimmune *lpr* mice: parallel analysis with their normal counterparts 601
INGVAR C. *see* IFVERSEN P.
IRANI A.A., NILSSON G., ASHMAN L.K. & SCHWARTZ L.B. Dexamethasone inhibits the development of mast cells from dispersed human fetal liver cells cultured in the presence of recombinant human stem cell factor 72
ISHIKURA H. *see* SHOJI Y.
ISLER P. *see* LI J.-M.
IVANYI J. *see* HARRIS D.P.
IWATA K. *see* SEYA T.

JACQUIER-SARLIN M.R., GABERT F.M., VILLIERS M.-B. & COLOMB M.G. Modulation of antigen processing and presentation by covalently linked complement C3b fragment 164
JEFFERIS R. *see* RAJNAVÖLGYI É.
JIPPO J. *see* USHIO H.
JOOSTEN I. *see* VAN LIEROP M.-J.C.

KAGISHIMA A. *see* KURODA K.
KAHAN M. *see* COPE A.P
KAJI M. *see* YOSHIDA K.
KAMADA N. *see* KOBAYASHI E.
KAMIYA H. *see* SATO H.
KANG A.H. *see* MYERS L.K.
KANG A.S. *see* HE M.
KARDINAL C. *see* MOCIKAT R.
KASAHARA T. *see* KUSAMA Y.
KATSIKIS P.D., COHEN S.B.A., MURISON J.G., UREN J., HIBBERT L.M., CALLARD R.E., DI PADOVA F., FELDMANN M. & LONDEI M. Human $\alpha\beta$ T-cell receptor CD4–CD8 T-cell clones are predominantly Th0-like 501
KATZ Y., WETSEL R.A., SCHLESINGER M. & FISHELSON Z. Compound heterozygous complement C3 deficiency 5
KAUFMANN S.H.E. *see* MUNK M.E.
KAWACHI Y. *see* IIAI T.
KAWAMOTO K. *see* USHIO H.
KAWANO Y., NOMA T., KOU K., YOSHIZAWA I. & YATA J. Regulation of human IgG subclass production by cytokines: human IgG subclass production enhanced differentially by interleukin-6 278
KIMBER I. *see* CUMBERBATCH M.
KIMURA M. *see* IIAI T.
KING N.J.C. *see* SHEN J.
KIRCHNER H. *see* DRIESSEN C.
KISIL F.T. *see* ZHOU E.-M.
KITAMURA M., NAMIKI M., MATSUMIYA K., TANAKA K., MATSUMOTO M., HARA T.,
KIYOHARA H., OKABE M., OKUYAMA A. & SEYA T. Membrane cofactor protein (CD46) in seminal plasma is a protasome-bound form with complement regulatory activity and measles virus neutralizing activity 626
KITAMURA Y. *see* USHIO H.
KITATANI N. *see* KURODA K.
KIYOHARA H. *see* KITAMURA M.
KLEIN A., CUNHA F.Q. & FERREIRA H. The role of lymphocytes in the neutrophil migration induced by ovalbumin in immuniized rats 577
KOBAYASHI E., KAMADA N., DELRIVIERE L., LORD R., GOTO S., WALKER N.I., ENOSAWA S. & MIYATA M. Migration of donor cells into the thymus is not essential for induction and maintenance of systemic tolerance after liver transplantation in the rat 333
KOCH N. *see* HENNE C.
KOLBE L., HEUSSER C.H. & KÖLSCH E. Isotype-associated recognition of allergen epitopes and its modulation by antigen dose 285
KÖLSCH E. *see* KOLBE L.
KOSMATOPOULOS K. *see* CHURAQUI E.
KOU K. *see* KAWANO Y.
KOVACS W.J. *see* VISELLI S.M.
KRAJEWSKI S. *see* BROOME H.E.
KUIJPERS T.W. *see* ZEILLEMAKER A.M.
KUPPNER M.C., MCKILLOP-SMITH S. & FORRESTER J.V. TGF-β and IL-1β act in synergy to enhance IL-6 and IL-8 mRNA levels and IL-6 production by human retinal pigment epithelial cells 265
KURITA M. *see* SEYA T.
KURODA K., YAMASHINA K., KITATANI N., KAGISHIMA A., HAMAOKA T. & HOSAKA Y. Characterization of defectiveness in endogenous antigen presentation of novel murine cells established from methylcholanthrene-induced fibrosarcomas 153
KURTH R. *see* VOGEL T.
KUSAMA Y., TAKAMOTO M., KASAHARA T., TAKATSU K., NARIUCHI H. & SUGANE K. Mechanisms of eosinophilia in BALB/c-*nu*/+ and congenitally athymic BALB/C-*nu*/*nu* mice infected with *Toxicara canis* 461

LAKE R.A. *see* HIGGINS J.A.
LAMB J.R. *see* HIGGINS J.A.
LANG P. *see* MOCIKAT R.
LAUFER J., BOICHIS H., FARZAM N. & PASSWELL J.H. IgA and IgG immune complexes increase human macrophage C3 biosynthesis 207
LEGUIT P. *see* ZEILLEMAKER A.M.
LI J.-M., ISLER P., DAYER J.-M. & BURGER D. Contact-dependent stimulation of monocytic cells and neutrophils by stimulated human T-cell clones 571
LICENCE S.T. *see* WOOLLEY S.T.
LIEW F.Y. *see* IANARO A.
LIEW F.Y. *see* XU D.
LINKE A. *see* MALE D.
LIPFORD G.B., BAUER S., WAGNER H. & HEEG K. Peptide engineering allows cytotoxic T-cell vaccination against human papilloma virus tumour antigen, E6 298
LIU L.M. & MACPHERSON G.G. Antigen processing: cultured lymph-borne dendritic cells can process and present native protein antigens 241
LLOYDS D., BRINDLE N.J.P. & HALLETT M.B. Priming of human neutrophils by tumour necrosis factor-α and substance P is associated with tyrosine phosphorylation 220
LOBB R.R. *see* DAS A.M.
LONDEI M. *see* KATSIKIS P.D.
LOOR F. *see* ROSENBLATT N.
LOOS M. *see* TRINDER P.K.E.
LORD R. *see* KOBAYASHI E.
LU L., HSIEH M., ORISS T.B., MOREL P.A., STARZL T.E., RAO A.S. & THOMSON A.W. Generation of DC from mouse spleen cell cultures in response to GM-CSF: immunophenotypic and functional analyses 127
LUCASSEN M.A. *see* BROEREN C.P.M.
LUND J. *see* RAJNAVÖLGYI É.
LUNN D.P., MCCLURE J.T., SCHOBERT C.S. & HOLMES M.A. Abnormal patterns of equine leucocyte differentiation antigen expression in severe combined immunodeficiency foals suggests the phenotype of normal equine natural killer cells 495
LYNN W.A. *see* SEELEN M.A.

MACPHERSON G.G. *see* LIU L.M.
MAGEED R.A. *see* BROWN C.M.S.
MAINI R.N. *see* BROWN C.M.S.
MAINI R.N. *see* WILLIAMS R.O.
MALE D., RAHMAN J., LINKE A., ZHAO W. & HICKEY W. An interferon-inducible molecule on brain endothelium which controls lymphocyte adhesion mediated by integrins 453
MÅRTENSSON C. *see* IFVERSEN P.

MATSUDA H. *see* USHIO H.
MATSUMIYA K. *see* KITAMURA M.
MATSUMOTO M. *see* KITAMURA M.
MATSUMOTO M. *see* SEYA T.
MATSUZAKI G. *see* NABESHIMA S.
MATTERN T., REICH C., DUCHROW M., ANSORGE S., ULMER A.J. & FLAD H.-D. Antibody-induced modulation of CD26 surface expression 595
MATTHEWS J.P. *see* YOUNG M.R.I.
MATTHEWS N. *see* SOUTHERN C.
MAYADOUX E. *see* CHURAQUI E.
MCCLURE J.T. *see* LUNN D.P.
MCDONAGH M. & BELL E.B. The survival and turnover of mature and immature CD8 cells and T cells 514
MCKILLOP-SMITH S. *see* KUPPNER M.C.
MEEUSEN E. *see* BOWLES V.M.
MENZ B. *see* HUSSAIN R.
MIYAHARA H. *see* MYERS L.K.
MIYASAKA M. *see* HARRIS H.
MIYATA M. *see* KOBAYASHI E.
MOCIKAT R., KARDINAL C., LANG P., ZEIDLER R. & THIERFELDER S. Unaltered immunoglobulin expression in hybridoma cells modified by targeting of the heavy chain locus with an integration vector 159
MÖLLER P. *see* HENNE C.
MONDEN M. *see* WADA H.
MOREL P.A. *see* LU L.
MORENO C. *see* HARRIS D.P.
MOTYKA B. & REYNOLDS J.D. Rescue of ileal Peyer's patch B cells from apoptosis is associated with the induction of Bcl-2 expression 383
MOYES S.P. *see* BROWN C.M.S.
MUKASA A. *see* NABESHIMA S.
MUL F.P.J. *see* ZEILLEMAKER A.M.
MUNK M.E. & KAUFMANN S.H.E. Human cord blood T-cell receptor $\alpha\beta$ cell responses to protein antigens of *Paracoccidioides brasiliensis* yeast forms 98
MURISON J.G. *see* KATSIKIS P.D.
MYERS L.K., MIYAHARA H., TERATO K., SEYER J.M., STUART J.M. & KANG A.H. Collagen-induced arthritis in B10.RIII mice ($H\text{-}2^r$): identification of an arthritogenic T-cell determinant 509

NABESHIMA S., HIROMATSU K., MATSUZAKI G., MUKASA A., TAKADA H., YOSHIDA S. & NOMOTO K. Infection of *Mycobacterium bovis* bacillus Calmette–Guérin in antibody-mediated $\gamma\delta$ T-cell-depleted mice 317
NAGAO S. *see* HARADA Y.
NAGASAWA S. *see* SEYA T.
NAKAMURA M. *see* HARADA Y.
NAKAYAMA E. *see* WADA H.
NAKAYAMA M. *see* ARAI K.
NAMIKI M. *see* KITAMURA M.
NARIUCHI H. *see* KUSAMA Y.
NEMEC M. *see* SOUTHERN C.
NIETO A. *see* BAZ A.
NILSSON G. *see* IRANI A.A.
NILSSON P.R. *see* VAN LIEROP M.-J.C.
NOMA T. *see* KAWANO Y.
NOMOTO K. *see* NABESHIMA S.
NORLEY S. *see* VOGEL T.
NORSWORTHY P. *see* SEELEN M.A.
NOURSHARGH S. *see* DAS A.M.
NOURSHARGH S. *see* WEG V.B.

O'DONNELL C.A. *see* IANARO A.
O'HEHIR R.E. *see* HIGGINS J.A.
OHTSUKA K. *see* ARAI K.
OKABE M. *see* KITAMURA M.
OKADA F. *see* HARADA Y.
OKUYAMA A. *see* KITAMURA M.
OLSEN N.J. *see* VISELLI S.M.
ONO T. *see* WADA H.
ORISS T.B. *see* LU L.
ORME I.M. *see* COOPER A.M.
OUKKA M. *see* CHURAQUI E.

PADGETT E.L. & PRUETT S.B. Rat, mouse and human neutrophils stimulated by a variety of activating agents produce much less nitrite than rodent macrophages 135
PASSWELL J.H. *see* LAUFER J.
PEAT E.B., AUGUSTINE N.H., DRUMMOND W.K., BOHNSACK J.F. & HILL H.R. Effects of fibronectin and group B streptococci on tumour-necrosis factor-α production by human culture-derived macrophages 440
PEMBERTON R.M. & WILSON R.A. T-helper type-1-dominated lymph node responses induced in C57BL/6 mice by optimally irradiated cercariae of *Schistosoma mansoni* are down-regulated after challenge infection 310
PERLMANN P. *see* SJÖLANDER A.
PETRY F. *see* TRINDER P.K.E.
PITTON C. *see* REBOLLO A.
PRUETT S.B. *see* PADGETT E.L.
PRYOR P. *see* BUCKLEY M.G.

RÖLLINGHOFF M. *see* GESSNER A.
RAHMAN J. *see* MALE D.
RAJNAVÖLGYI É., FAZEKAS G., LUND J., DAERON M., TEILLAUD J.-L., JEFFERIS R., FRIDMAN W.H. & GERGELY J. Activation of effector functions by immune complexes of mouse IgG2a with isotype-specific autoantibodies 645
RAO A.S. *see* LU L.
RAY K. *see* BUCKLEY M.G.
REBOLLO A., PITTON C., GARCÍA A., GÓMEZ J. & SILVA A. A role for the intermediate affinity IL-2R in the protection against glucocorticoid-induced apoptosis 388
REED J.C. *see* BROOME H.E.
REICH C. *see* MATTERN T.
REMINGTON J.S. *see* HUNTER C.A.
REYNOLDS J.D. *see* MOTYKA B.
RHOADES E.R. *see* COOPER A.M.
RICCARDI C. *see* AYROLDI E.
RINK L. *see* DRIESSEN C.
ROBERTS A.D. *see* COOPER A.M.
ROBINSON B.W.S. *see* UPHAM J.W.
ROOS D. *see* ZEILLEMAKER A.M.
ROSENBLATT N., HARTMANN K.-U & LOOR F. Development of grafted *gld* cells in athymic and euthymic recipients 562
ROSSOLL R.M. *see* WIRA C.R.
ROY S. *see* BISWAS T.

SALERNO A. *see* DIELI F.
SALERNO A., DIELI F., SIRECI G., BELLAVIA A. & ASHERSON G.L. Interleukin-4 is a critical cytokine in contact sensitivity 404
SANTA MARIA C. *see* CONDE M.
SATO H. & KAMIYA H. Role of epidermal Langerhans' cells in the induction of protective immunity to *Schistosoma mansoni* in guinea-pigs 233
SATO K. *see* ARAI K.
SATOSKAR A. & ALEXANDER J. Sex-determined susceptibility and differential IFN-γ and TNF-α mRNA expression in DBA/2 mice infected with *Leishmania mexicana* 1
SAXENA R.K. *see* HARIDAS V.
SCHLESINGER M. *see* KATZ Y.
SCHOBERT C.S. *see* LUNN D.P.
SCHOEMAKER H.M. *see* HEEMSKERK M.H.M.
SCHRÖPPEL K. *see* GESSNER A.
SCHWARTZ L.B. *see* IRANI A.A.
SCHWENK F. *see* HENNE C.
SEELEN M.A., ATHANASSIOU P., LYNN W.A., NORSWORTHY P., WALPORT M.J., COHEN J. & DAVIES K.A. The anti-lipid A monoclonal antibody E5 binds to rough Gram-negative bacteria, fixes C3, and facilitates binding of bacterial immune complexes to both erythrocytes and monocytes 653
SEMBA T. *see* SEYA T.

SEYA T. *see* KITAMURA M.
SEYA T., KURITA M., HARA T., IWATA K., SEMBA T., HATANAKA M., MATSUMOTO M., YANAGI Y., UEDA S. & NAGASAWA S. Blocking measles virus infection with a recombinant soluble form of, or monoclonal antibodies against, membane cofactor protein of complement (CD46) 619
SEYER J.M. *see* MYERS L.K.
SHAROM F.J. *see* CHU J.W.K.
SHEN J., DEVERY J.M. & KING N.J.C. Adherence status regulates the primary cellular activation responses to the flavivirus West Nile 254
SHOJI Y., UEDONO Y., ISHIKURA H., TAKEYAMA N. & TANAKA T. DNA damage induced by tumour necrosis factor-α in L929 cells is mediated by mitochondrial oxygen radical formation 230
SHULTS K. *see* VISELLI S.M.
SILVA A. *see* REBOLLO A.
SIRECI G. *see* DIELI F.
SIRECI G. *see* SALERNO A.
SJÖLANDER A., ANDERSSON R., HANSSON M., BERZINS K. & PERLMANN P. Genetic restriction and specifity of the immune response in mice to fusion proteins containing repeated sequences of the *Plasmodium falciparum* antigen Pf155/RESA 360
SMITH M.D. *see* HART P.H.
SOBRINO F. *see* CONDE M.
SOUTHERN C., WILKINSON P.C., THORP K.M., HENDERSON L.K., NEMEC M. & MATTHEWS N. Inhibition of protein kinase C results in a switch from non-motile to a motile phenotype in diverse human lymphocyte populations 323
SPAAN W.J.M. *see* HEEMSKERK M.H.M.
STANZIALE S. *see* VISELLI S.M.
STARZL T.E. *see* LU L.
STRICKLAND D.H. *see* UPHAM J.W.
STUART J.M. *see* MYERS L.K.
SUBAUSTE C. *see* HUNTER C.A.
SUGANE K. *see* KUSAMA Y.

TAKADA H. *see* NABESHIMA S.
TAKAHASHI H.E. *see* ARAI K.
TAKAHASHI T. *see* YOSHIDA K.
TAKAMOTO M. *see* KUSAMA Y.
TAKATSU K. *see* KUSAMA Y.
TAKEYAMA N. *see* SHOJI Y.
TANAKA K. *see* KITAMURA M.
TANAKA T. *see* SHOJI Y.
TANIGAWA Y. *see* HARADA Y.
TAUSSIG M.J. *see* HE M.
TEILLAUD J.-L. *see* RAJNAVÖLGYI É.
TERATO K. *see* MYERS L.K.
THIERFELDER S. *see* MOCIKAT R.
THOMAS W.R. *see* HOYNE G.F.
THOMPSON J. *see* BUCKLEY M.G.
THOMSON A.W. *see* LU L.
THORP K.M. *see* SOUTHERN C.
TILLOY F. *see* CHURAQUI E.
TRINDER P.K.E., FAUST D., PETRY F. & LOOS M. Modulation of mRNA expression and secretion of C1q in mouse macrophages by anti-inflammatory drugs and cAMP: evidence for the partial involvement of a pathway that includes cyclooxygenase, prostaglandin E_2 and adenylate cyclase 638

UEDA S. *see* SEYA T.
UEDONO Y. *see* SHOJI Y.
UENAKA A. *see* WADA H.
ULMER A.J. *see* MATTERN T.
UPHAM J.W., STRICKLAND D.H., BILYK N., ROBINSON B.W.S. & HOLT P.G. Alveolar macrophages from humans and rodents selectively inhibit T-cell proliferation but permit T-cell activation and cytokine secretion 142
UREN J. *see* KATSIKIS P.D.
USHIO H., HIROTA S., JIPPO J., HIGUCHI S., KAWAMOTO K., KITAMURA Y. & MATSUDA H. Mechanisms of eosinophilia in mice infected with larval *Haemaphysalis longicornis* ticks 469

VAN CLEAVE V. *see* HUNTER C.A.
VAN DEN BERG T.K. *see* YOSHIDA K.
VAN EDEN W. *see* BROEREN C.P.M.
VAN KOOTEN P.J.S. *see* BROEREN C.P.M.
VAN LIEROP M.-J.C., NILSSON P.R., WAGENAAR J.P.A., VAN NOORT J.M., CAMPBELL J.D.M., GLASS E.J., JOOSTEN I. & HENSEN E.J. The influence of MHC polymorphism on the selection of T-cell determinants of FMDV in cattle 79
VAN MEURS M. *see* BROEREN C.P.M.
VAN NOORT J.M. *see* VAN LIEROP M.-J.C.
VERBRUGH H.A. *see* ZEILLEMAKER A.M.
VIETH M. *see* GESSNER A.
VILLIERS M.-B. *see* JACQUIER-SARLIN M.R.
VISELLI S.M., STANZIALE S., SHULTS K., KOVACS W.J. & OLSEN N.J. Castration alters peripheral immune function in normal male mice 337
VOGEL T., NORLEY S., BEER B. & KURTH R. Rapid screening for Mamu-A1-positive rhesus macaques using a SIV_{mac} Gag peptide-specific cytotoxic T-lymphocyte assay 482
VORDERMEIER H.-M. *see* HARRIS D.P.

WADA H., ONO T., UENAKA A., MONDEN M. & NAKAYAMA E. Requirement of $CD4^+$ cells and antigen-presenting cells for primary *in vitro* generation of $CD8^+$ cytotoxic T cells against L^d-binding self-peptide p2Ca 633
WAGENAAR J.P.A. *see* VAN LIEROP M.-J.C.
WAGNER H. *see* HÄCKER G.
WAGNER H. *see* LIPFORD G.B.
WALKER N.I. *see* KOBAYASHI E.
WALLACH D. *see* COPE A.P
WALPORT M.J. *see* SEELEN M.A.
WALSH D.T. *see* WEG V.B.
WATANABE H. *see* ARAI K.
WATANABE H. *see* IIAI T.
WAUBEN M.H.M. *see* BROEREN C.P.M.
WEG V.B., WALSH D.T., FACCIOLI L.H., WILLIAMS T.J., FELDMANN M. & NOURSHARGH S. LPS-40-induced ^{111}In-eosinophil accumulation in guinea-pig skin: evidence for a role for TNF-α 36
WEILER J.M., EDENS R.E., BELL C.S. & GLEICH G.J. Eosinophil granule cationic proteins regulate the classical pathway of complement 213
WETSEL R.A. *see* KATZ Y.
WHYTE A. *see* WOOLLEY S.T.
WILKINSON P.C. *see* SOUTHERN C.
WILL A. *see* GESSNER A.
WILLIAMS C.M.M. *see* BUCKLEY M.G.
WILLIAMS D.G. *see* BROWN C.M.S.
WILLIAMS R.O., GHRAYEB J., FELDMANN M. & MAINI R.N. Successful therapy of collagen-induced arthritis with TNF receptor–IgG fusion protein and combination with anti-CD4 433
WILLIAMS T.J. *see* DAS A.M.
WILLIAMS T.J. *see* WEG V.B.
WILSON R.A. *see* PEMBERTON R.M.
WIRA C.R. & ROSSOLL R.M. Antigen-presenting cells in the female reproductive tract: influence of sex hormones on antigen presentation in the vagina 228
WONDIMU A. *see* HOWE R.C.
WOODING F.B.P. *see* WOOLLEY S.T.
WOOLLEY S.T., WHYTE A., LICENCE S.T., HASKARD D.O., WOODING F.B.P. & BINNS R.M. Differences in E-selectin expression and leucocyte infiltration induced by inflammatory agents in a novel subcutaneous sponge matrix model 55

XU D. & LIEW F.Y. Protection against leishmaniasis by injection of DNA encoding a major surface glycoprotein, gp63, of *L. major* 173
XU D. *see* IANARO A.

YAMASHINA K. *see* KURODA K.
YANAGI Y. *see* SEYA T.
YATA J. *see* KAWANO Y.
YOSHIDA K., KAJI M., TAKAHASHI T., VAN DEN BERG T.K. & DIJKSTRA C.D. Host origin of follicular dendritic cells

induced in the spleen of SCID mice after transfer of allogeneic lymphocytes 117
YOSHIDA S. *see* NABESHIMA S.
YOSHIZAWA I. *see* KAWANO Y.
YOUNG L.S. *see* CHAMPSI J.
YOUNG M.R.I. & MATTHEWS J.P. Serotonin regulation of T-cell subpopulations and of macrophage accessory function 148

ZEIDLER R. *see* MOCIKAT R.
ZEILLEMAKER A.M., MUL F.P.J., HOYNCK VAN PAPENDRECHT A.A.G.M., KUIJPERS T.W., ROOS D., LEGUIT P. & VERBRUGH H.A. Polarized secretion of interleukin-8 by human mesothelial cells: a role in neutrophil migration 227
ZHAO W. *see* MALE D.
ZHONG W.W., BURKE P.A., DROTAR M.E., CHAVALI S.R. & FORSE R.A. Effects of prostglandin E_2, cholera toxin and 8-bromo-cyclic AMP on lipopolysaccharide-induced gene expression of cytokines in human macrophages 446
ZHOU E.-M. & KISIL F.T. Regulation of levels of serum antibodies to ryegrass pollen allergen *Lol p* IV by an internal image anti-idiotypic monoclonal antibody 343

Subject Index

Adherence: regulation of response to West Nile virus, 254
Adhesion molecules: on intermediate T-cell receptor cells, 64
Allergen epitope recognition: modulation by antigen, 285
Anti-idiotypic antibody, internal image: regulation of antibodies to ryegrass pollen antigen, 343
Antibody fragment, three domain: expressed in *Escherichia coli*, 662
Antibody responses, to gastrointestinal parasites: at mucosal surfaces, 669
Antigen presentation, endogenous: defective, 153
Antigen presentation, vaginal: influence of sex hormones, 505
Antigen processing: cultured lymph-borne dendritic cells, 241
Antigen processing and presentation: modulation by C3b, 164
Apoptosis and Bcl-2 expression: in T cells, 375
Arthritis, collagen induced: therapy of, 433

Bacillus Calmette-Guérin infection: in $\gamma\delta$ T-cell depleted mice, 317
Bcl-2 expression: and rescue of B cells from apoptosis, 383

C1q, expression and secretion: modulation of, 638
C3 biosynthesis, human macrophages: increased by immune complexes, 207
C3 deficiency: compound heterozygous, 5
Castration: and peripheral immune function, 337
CD4, major histocompatibility complex class II restricted cytotoxic T cells: against mouse hepatitis virus, 521
$CD4^+$ T-cell responses, human: to nut extracts, 91
CD8 T cells: survival and turnover, 514
CD23/FcεRII: oligomer formation, 202
CD26: antibody-induced modulation of surface expression, 595
CD46 soluble and antibodies to: blocking of measles infection, 619
CD46, prostasome bound: in seminal plasma, with complement regulatory and measles neutralizing activities, 626
Contact-dependent stimulation of monocytes and neutrophils: by T-cell clones, 571
Cytokines: gene expression in human macrophages, 446
in *Mycobacterium avium* infection, 549
Cytotoxic T cells: reduced lysis in mixed lymphocyte reactions, 488
requirement of $CD4^+$ cells and antigen-presenting cells, 633
Cytotoxic T lymphocyte SIV_{mac}-specific: in macaques, 482

Dendritic cells: generation from mouse spleen in response to GM-CSF, 127
Dendritic cells, follicular: in SCID mice after transfer of allogenic lymphocytes, 117

Eosinophilia: in tick-infected mice, 469
in *Toxocara canis* infected mice, 461
Eosinophil granule: regulation of complement, 213
Eosinophilia, lung: dependence on interleukin-5, CD18 and VLA-4, 41
Epitope restriction: by multiple major histocompatibility complex antigen, 555

Gangliosides: interaction with interleukin-4, 396
gld cells: development in athymic and euthymic recipients, 562

Idiotypic modulation of antibody response, 350
Immune complexes, mouse Ig2a: activation of effector functions, 645
Immunoglobulin expression, in hybridoma cells: unaffected by targetting heavy-chain locus, 159
Immunoglobulin V regions: in rheumatoid arthritis, 367
Inflammation: sponge-matrix model for, 55
Interferon-inducible molecules: on brain endothelium, 453
Interleukin-2R: intermediate affinity role in protection against apoptosis, 388
Interleukin-4: enhancement of mast cell interleukin-3 and interleukin-8 expression, 410
in contact sensitivity, 404
Interleukin-6: differential regulation of human IgG subclass, 278
Interleukin-7: effect on murine leishmaniasis, 416
Interleukin-8 secretion by human mesothelial cells : role in neutrophil migration, 227
Interleukin-10 and interleukin-4: comparison of suppressive effects, 536
Interleukin-12: role in immunity to *Mycobacterium tuberculosis*, 423
role in murine toxoplasmosis, 16
Invariant chain, CD74: surface expression, 177

Jα segment: influence on vSAG-7 recognition, 609

L-Rhamnose: inhibition of splenocyte proliferation by LPS, 322
L-selectin: mediation of lymphocyte motility, 47
Langerhans' cells, epidermal: role in immunity to *Schistosoma mansoni*, 233
Lipid A, monoclonal antibody to: binding characteriztics, 653
Lipopolysaccharide: effect on thymidine salvage in activated macrophages, 247
Lymph node responses, Th1: to cercariae of *Schistosoma mansoni* down-regulation after challenge, 310

Macrophages, alveolar: and T-cell regulation, 142
Major histocompatibility complex: control of response to trinitrophenyl hapten, 335
Major histocompatibility complex class I antigens: role in cold target competition assays, 86
Major histocompatibility complex class II antigens: expression by rat T cells, 193
Major histocompatibility complex polymorphism: influence on T-cell responses foot-and-mouth disease vaccine peptides, 79
Malarial antigen Pf155/RESA: genetic restriction and specificity of immune response to, 360
Mast cells, development: inhibition by dexamethasone, 72
Mycobacterium leprae 18000 MW epitopes: recognition by IgG subclass, 290

Neutrophil migration: role of lymphocytes, 577
Neutrophils: forming by tumour necrosis factor-α and substance P, 220
Nitrate production: by neutrophils and macrophages, 135
Nitric oxide production, by macrophages: inhibition by cyclosporin A and FK506, 476
Nucleic acid vaccine: against leishmaniasis, 173

Orally administered proteins: T-cell responses to, 304

Peptide engineering: and cytotoxic T lymphocyte vaccination, 298
Protein kinase C inhibition: induction of cell motility, 326

Retinal pigment epithelial cells: effect of transforming growth factor-β interleukin-1β on interleukin-6 and interleukin-8 mRNA and interleukin-6 production, 265

SCID foals: abnormal patterns of equine leucocyte differentiation antigen expression, 495
SCID-hu-PBL: primary antigen-specific immune responses, 111
Serotonin: regulation of T-cell function, 148
Sex differences in tumour necrosis factor-α and interferon-γ mRNA expression in leishmaniasis,
Superantigen: peripheral T-cell deletion by, 528

T-cell clones: from leprosy patients, 585
T-cell clones, double negative: Th0 characteriztics, 501
T-cell determinant: arthritogenic, 509
T-cell receptor cells, intermediate: in *lpr* mice, 601
T-cell receptor-mediated Ca^{2+} signals: on normal and deficient T cells, 183
T-cell responses, human: to *Paracoccidioides brasiliensis*, 98
$\gamma\delta$ T cells: interaction with B cells regulating IgG production, 105
Tolerance, after liver transplantation: induction and maintenance, 333
Transforming growth factor-β: effect on acute inflammation,
Tumour necrosis factor: DNA damage by, 543
Tumour necrosis factor-α: role in eosinophil accumulation, 36
role in skin sensitization, 31
Tumour necrosis factor-α, production by human macrophages: effects of fibronectin and group B streptococci, 440
Tumour necrosis factor receptor, soluble: production by activated T cells, 21

Zinc: regulation of cytokine induction by superantigens and lipopolysaccharide, 272